

PRODUCT-DETAILS

UPS PowerValue 11 RT 3kVA B

UPS PowerValue 11 RT 3kVA B



General Information

Extended Product Type	UPS PowerValue 11 RT 3kVA B
Product ID	4NWP100102R0001
ABB Type Designation	UPS PowerValue 11 RT 3kVA B
EAN	7640169260209
Catalog Description	UPS PowerValue 11 RT 3kVA B
Long Description	VFI UPS PowerValue 11 RT 3000VA/2700W ; 230V; 50/60Hz; 6 min

Additional Information

ABB Type Designation	UPS PowerValue 11 RT 3kVA B
Apparent Power Output	3000 V·A
Battery Chemical Composition	Lead-Acid
Battery Runtime	4 minute [unit of time]
Battery Type	Portable
Battery Weight	2.5 kg
CN8	85044000
Communication Interface	USB, RS-232
Communication Protocol and Connection	SNMP
Connection Type	IEC C20
Country of Origin	China (CN)
Customs Tariff Number	85044000

Data Sheet, Technical Information	4NWD002979
Declaration of Conformity - CE	4NWD00340
E-Number (Finland)	8408548
EAN	7640169260209
ETIM 6	EC000382 - UPS
ETIM 7	EC000382 - UPS
Efficiency	Overall 92.50 % Economy Mode (Eco-Mode) 95.00 %
Environmental Information	No declaration needed
Harmonic Distortion	2.00 %
Input Voltage (U _{in})	208 V 220 V 230 V 240 V
Input Voltage Type	AC
Instructions and Manuals	4NWD003227
Invoice Description	UPS PowerValue 11 RT 3kVA B
Made To Order	No
Minimum Order Quantity	1 piece
Number of Batteries	6
Number of Outputs	C13 Connection 8 C19 Connection 1
Number of Phases	Primary - 1 Secondary - 1
Object Classification Code	G
Options Provided	Auto shut down function Potential free switch contact Network-management
Order Multiple	1 piece
Output Voltage (U _{out})	208 V 220 V 230 V 240 V
Package Level 1 Depth / Length	790 mm
Package Level 1 EAN	7640169260209
Package Level 1 Gross Weight	32.4 kg
Package Level 1 Height	230 mm
Package Level 1 Units	1 piece
Package Level 1 Width	590 mm
Power Factor	0.9
Product Main Type	PowerValue 11RT
Product Name	UPS
Product Net Depth / Length	608 mm
Product Net Height	86.5 mm
Product Net Weight	28.6 kg
Product Net Width	438 mm
Quote Only	No
Rated Frequency (f)	Primary 50 Hz Primary 60 Hz Secondary 50 Hz Secondary 60 Hz
Rated Output Power	2700 W
RoHS Date	0516
RoHS Information	4NWD00340

RoHS Status	Following EU Directive 2011/65/EU
Selling Unit of Measure	piece
Uninterruptible Power Supply Form Factor	Rack-Tower
Uninterruptible Power Supply Topology	On-Line Double Conversion
WEEE B2C / B2B	Business To Business
WEEE Category	4. Large Equipment (Any External Dimension More Than 50 cm)

Categories

UPS, Power Conditioning and Power Distribution → UPS → Legacy UPS Systems → PowerValue 11 RT IEC 1-3 kVA

UPS, Power Conditioning and Power Distribution → UPS → Single-Phase UPS → PowerValue 11 RT IEC 230V

